B

	Application No.	Applicant(s)	
	09/394,327	SAWAYAMA ET AL.	
Notice of Allowability	Examiner	Art Unit	
<u> </u>	Kenneth A Parker	2871	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communicat GHTS. This application is subject	application. If not included ion will be mailed in due cours	se. THIS
1. This communication is responsive to the reply of 5/5/04.			
2. ☑ The allowed claim(s) is/are <u>1-2,5-62, 67-68</u> .			
3. $\boxtimes$ The drawings filed on <u>13 September 1999</u> are accepted by	the Examiner.		
4. ☑ Acknowledgment is made of a claim for foreign priority una) ☑ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have 2. ☑ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the post attached Examiner's comment regarding REQUIREMENT is attached Examiner's comment re	been received.  been received in Application No. cuments have been received in the of this communication to file a replication.  itted. Note the attached EXAMINI as reason(s) why the oath or decla to be submitted. on's Patent Drawing Review (PT) as Amendment / Comment or in the as the header according to 37 CFR 1.12 sit of BIOLOGICAL MATERIA	oly complying with the requirer ER'S AMENDMENT or NOTICE aration is deficient. CO-948) attached CO-948 office action of wings in the front (not the back 21(d). L must be submitted. Note the	ments CE OF
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 1011 102) 1001 101 101 101 101 101 101 101 101 1	6. ☐ Interview Summa Paper No./Mail I 8), 7. ☒ Examiner's Amer	Date	

Application/Control Number: 09/394,327

Art Unit: 2871

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee. Authorization for this amendment was presented in the response of 5/5/04.

The application has been amended as follows:

Claims 4 and 63-66 have been cancelled.

Application/Control Number: 09/394,327

Art Unit: 2871

## Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

None of the prior art taught or suggested the claimed device where the distance is uniform between the slanting portions and the second light releasing surface. The prior art had the distances varying from one side to the other.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth A Parker whose telephone number is 571-272-2298. The examiner can normally be reached on M-F 10:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert H. Kim can be reached on 571-272-2293. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Page 4

Application/Control Number: 09/394,327

Art Unit: 2871

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kenneth A Parker Primary Examiner Art Unit 2871

\*\*\*